

DG711/DG511 Pipe Laser



BUILT FOR YOUR TOUGHEST JOB SITE

Withstands crew abuse and harsh job conditions

Complete setup accessories available

Exceptionally reliable...Easy to use

Rugged, Reliable, Repeatable



Your job sites involve some of the harshest conditions found in any industry. You need equipment that can stand up to corrosion from acids, chemicals, salts and other destructive underground elements as well as to the physical abuse typical in the construction industry. The Spectra Precision Laser DG711 and DG511 pipe lasers from Trimble are designed with these conditions in mind.

Built tough for long-lasting performance and reliability, the DG711 and DG511 pipe lasers are completely waterproof and designed to ensure easy cleanup. They are also easy to assemble with a full range of setup accessories available, and easy to use with straightforward, “no-instructions-required” controls. They even keep track of their own maintenance needs, notifying you at regular intervals (you decide how often) when it’s time for a check-up. The DG711 and DG511 pipe lasers are simply the toughest, smartest tools you’ll ever own!



Our patented Target Lens collects the beam and transfers the spot up at the angle viewed by the pipe layer, making it very easy to see the laser beam.

SELF-LEVELING: The DG711 and DG511 feature the largest automatic leveling range in the industry providing quick, easy set-ups, regardless of grade. Unlike traditional pipe lasers, they eliminate the need for rough leveling and minimize crew training. Simply set up the laser in the pipe, manhole or open cut without the need to swivel or rough level the unit. No need to reset the unit or HI, over the center point when rough leveling.



LINE ALERT: This unique feature is ideal for working in high-vibration or wet conditions where the pipe lasers may be disturbed. The beam flashes to notify you that the setup line has been disturbed, eliminating the necessity of rework. Combined with the self-leveling warning, you’ll always complete the job correctly, on time and on budget! Only available on the DG711.



LINE SET: The Line Set/Check capability of the pipe laser allows you to raise the beam outside of the trench for fast line setup or checking. Raising the laser beam out of the trench to an above-ground stake saves you time—instead of having to move the excavator off line during setup of the pipe laser, you can just get on with your job. In addition, the Line Set-Check feature is ideal for rechecking the line in pipe jacking puts after each push. Only available on the DG711.

The industry's largest display lets you see the % Grade from outside the manhole. Protective coating prevents damage from stones and debris.

Rubberized front bumper lets you set unit upright on concrete while also providing protection from knocks when going down the manhole.

Color coded panel clearly indicates the line and grade functions to minimize crew training and setup errors.

Nickel-Plated Cast Housing provides unmatched protection from sewage effluents and cleans up like new.

Spectra Precision Laser Proven performance and quality...supported by the industry's leading service centers.

Both models have a Steep Grade Option, to manually "rake-in" grades up to 100%.

Universal Connector lets you hook up to an optional 12V battery, or provide software upgrades over the Internet.

Both units can be programmed by your dealer to provide LCD Panel instructions in English, Dutch, Finnish, French, German, Italian, Japanese, Portuguese, Spanish or Swedish.



Full-function remote included with the DG711 permits On-Off, Line and Grade adjustments as well as Line Set/Check functionality.

DG711

Versatile pivot point easily establishes your start point:

- Reflective Target enhances a laser plumb bob
- Super-bright LED's enable easy instrument or optical plummet alignment
- Use the two color "+" marks for plumb bobs



Remote controls line and offers full on-off capability if left in the manhole overnight.



DG511

Contractor defined accessories assure fast, easy setups under all conditions.


Mounts and Tripods




1230 (English) and 1237 (Metric) Invert Plates – Unique heavy-duty plate provides a simple means to self-center the laser in pipes in the 250 – 400 mm

(10 – 15 inch) diameter range, or to be used as a stable base for open cut setups with the 1239 Pole Kit. Eliminates the need for multiple foot screws.

1239 Extended Height Vertical Pole Kit – Attaches to all mounting plates and T-bars to set the laser at the correct elevation in open cut, flat bottom, or drop manholes. Kit includes leveling feet for the 1230-37 Invert Plate.



1244 T-bars – Two sizes simplify manhole, drop manhole, or large diameter pipe setups ranging from 84 cm to 2 m (2 ft. 9 inches to 6 ft. 8 inches). Provides secure mounting for high theft or vibration areas.



1232 Pre-cast Invert Adapter for 1231 – Adapter suspends pipe laser above precast invert flow line, or in drop manholes to keep the invert open for drainage.

1233 Scope Handle Kit – Helps align the laser for over-the-top setups, or one-person second-day setups in large pipe. Includes Quick Disconnect.




Underground Accessories



1212 LineLevel – Unique instrument that has 180° "flop" capability for line setting, as well as a built-in auto level compensator for checking grade, and optical plummet for positioning over the laser or hub.

1211 Automatic Laser Plummet – Auto plumbing, visible red laser that replaces the 5/8 x 11 instrument hold down on tripods or the 1017 Manhole Mount. Versatile—lets you decide to first position the laser, or the instrument, over the manhole centerline for varying job conditions.



1017 Manhole Mount – Attaches to a manhole cone or riser so any 5/8 x 11 instrument can be easily plumbed over the pipe laser.



1214 Line String Adapter – Adheres to the top pivot point to provide accurate string positioning for quick setups.



Spectra Precision laser LL200 Auto Leveling Grade Checking Laser – Complete package with tripod and rod, permits **one** person, above or below ground, to check grade anywhere along the pipe run.

936 Adjustable Large Pipe Target – Self-centers in 400 to 800 mm (15 – 30 inch) pipe. Can also be clamped to a 2 x 4 timber for larger pipe sizes.



929 Blower – Variable speed, high capacity output, minimizes beam refraction to prevent grade sag. Operates on 12V DC.

EW1 – Provides additional one-year increments of warranty coverage up to a total of three years. Eliminates unplanned repair expenses, and is honored globally at authorized service centers.



1161 Heavy Duty Tripod – Non warping cured wood legs provide a stable set-up for over the top set-ups, or grade checking. Includes Safety Chains to prevent tip-over.



Power Options

P20/P20B Alkaline Battery Pack

– Great back-up if you forget to charge the unit. Insert four D-cell alkaline batteries and get over 40 hours of use. **Included with the DG711.**



P21 12V DC Battery Power Cable



– Another option for providing power for extended periods of operation or for back-up in remote areas.



P22 Cigarette Lighter Charger

– Provides the ability to charge the battery pack overnight in the work vehicle or for a refresher charge to finish the workday.



PERFORMANCE SPECIFICATIONS		
		
	DG711	DG511
Grade Range	-15% to +40%	
Self-Leveling Range	Complete grade range (no rough leveling required)	
Line Range	20°	
Line Center	Yes	
Grade Zero and Quick Grade	Yes	
Line Set/Check	Yes	
Line Alert	Yes	
Temperature Compensation	Yes	
Grade Compensation	Yes	
Maintenance Interval Notification	Selectable Intervals: 3, 6, 12, or 24 Months	
Warranty Period	2 Years	1 Year
LASER CLASSIFICATION		
Laser output	4.5–5 mW (maximum allowable)	
Laser classification USA and Canada	3A	
GENERAL SPECIFICATIONS		
Weight	3.6 kg (8.0 lbs.)	
Length	37.5 cm (14.75 inches)	
Diameter	14 cm (5.5 inches)	
Housing material	Nickel Plated Die Casting	Hard Anodized Aluminum
Battery type and life	NiMH / 64 Hours with Daily Setup at 20° C (68° F)	
Battery pack	Sealed (NiMH), O-Ring Sealed Removable (Alkaline)	
Operating voltage	6-16V DC	
Operating temperature	-20° to 60° C (-4° to 140° F)	
Storage temperature	-30° to 60° C (-23° to 140° F)	
Waterproof	Continuous Submersion at 3m (10 ft.)	
WIRELESS REMOTE SPECIFICATIONS		
Functionality	7 Button Power, Line and Grade Adjustment, Line Set	3 Button Power, Line Adjustment
Through the Pipe Range	225 m (750 ft)	
Front / Over the Top Range	500 m (150 ft)	
Rear Range	10 m (30 ft)	
Battery life (normal operation)	3 Years / 36 Months	2 Years / 24 Months

Spectra Precision Lasers from Trimble.

Construction Solutions To Build Your Competitive Advantage.


With the largest worldwide dealer and service network in the industry, no other company can match the service and support Trimble provides. Our experienced local dealers and sales force are more than sales reps—they're your business partners.

They understand your business, provide quality service, and can even help finance the equipment you need. Unequaled experience in the surveying and construction industry backed by a relentless commitment to quality and R&D ensures that the products we offer are not just tools, but solutions that will enable you to work more productively and profitably every day.

From Conception to Completion

Maximum efficiency. Everyone is talking about it, but only Trimble provides concept to completion solutions to the construction industry that deliver it. How?

By drawing on our expertise in positioning, survey, software, machine control, and construction instrument technology to eliminate inefficiencies and provide you with complete control over all your individual machines, processes, materials and operations. And changing the way you work forever.



YOUR LOCAL TRIMBLE OFFICE OR REPRESENTATIVE

WWW.TRIMBLE.COM

© 2002, Trimble Navigation Limited. All rights reserved. The Globe and Triangle logo and Trimble are trademarks of Trimble Navigation Limited. All other marks are the property of their respective owners. Reorder PN 022546-015 (06/02)



NORTH AMERICA

Trimble Navigation Limited
Engineering and Construction
5475 Kellenburger Road
Dayton, Ohio 45424-1099
800-538-7800 Toll Free
937-233-8921 Main
937-233-9441 Fax
www.trimble.com

EUROPE

Trimble GmbH
Am Prime Parc 11
D-65479 Raunheim
Germany
+49-6142-21000 Main
+49-6142-2100550 Fax

LATIN AMERICA

Trimble Navigation Limited
6505 Blue Lagoon Drive
Suite 120
Miami, FL 33126
800-865-3994 Toll Free
305-263-9033 Main
305-263-8975 Fax

AFRICA & MIDDLE EAST

Trimble
P.O. Box 17760
Jebel Ali Free Zone
Dubai
UAE
+971-4-881-3005 Main
+971-4-881-3007 Fax

ASIA-PACIFIC

Trimble Navigation Australia
PTY Limited
Level 1/123 Gotha Street
Fortitude Valley, QLD 4006
AUSTRALIA
+61-7-3216-0044 Main
+61-7-3216-0088 Fax

CHINA

Trimble Export Limited
Representative Office
Suite 16D, Building 2, Epoch Center
4 Beiwa Road, Haidian District
Beijing, P.R. China, 100081
+86-10-6847-7756 Main
+86-10-6847-7786 Fax

